

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Standard Gunfoam

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

1.2

Standard Gunfoam

Other means of identification:

Non-applicable

Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Foam

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

Wolf Group OÜ Suur-Paala 10 13619 Tallinn - Estonia Phone: +372 605 9300 - Fax: +372 605 9315 sds@wolf-group.com www.wolf-group.com

1.4 Emergency telephone number: 112

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aerosol 1: Flammable aerosols, Category 1, H222 Aerosol 1: Pressurised container: May burst if heated., H229 Aquatic Chronic 4: Hazardous to the aquatic environment, long-term hazard, Category 4, H413 Carc. 2: Carcinogenicity, Category 2, H351 Eye Irrit. 2: Eye irritation, Category 2, H319 Lact.: Reproductive toxicity, effects on or via lactation, H362 Resp. Sens. 1: Sensitisation, respiratory, Category 1, H334 Skin Irrit. 2: Skin irritation, Category 2, H315 Skin Sens. 1: Sensitisation, skin, Category 1, H317 STOT RE 2: Specific target organ toxicity — Repeated exposure, Hazard Category 2, H373 STOT SE 3: Respiratory tract toxicity, single exposure, Category 3, H335

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Danger



Hazard statements:

- H222 Extremely flammable aerosol.
- H229 Pressurised container: May burst if heated.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H362 May cause harm to breast-fed children.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H413 May cause long lasting harmful effects to aquatic life.

Precautionary statements:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Standard Gunfoam

SECTION 2: HAZARDS IDENTIFICATION (continued)

- P101: If medical advice is needed, have product container or label at hand.
- P102: Keep out of reach of children.
- P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211: Do not spray on an open flame or other ignition source.

- P251: Do not pierce or burn, even after use.
- P271: Use only outdoors or in a well-ventilated area.
- P280: Wear protective gloves/face protection/protective clothing/respiratory protection/protective footwear.
- P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F
- P501: Dispose of the contents/containers in accordance with the current legislation on waste treatment

Supplementary information:

EUH204: Contains isocyanates. May produce an allergic reaction.

Substances that contribute to the classification

4,4'-methylenediphenyl diisocyanate, isomers and homologues; alkanes, C14-17, chloro

Additional Labelling:

As from 24 August 2023 adequate training is required before industrial or professional use.

Persons already sensitised to diisocyanates may develop allergic reactions when using this product.

Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

2.3 Other hazards:

Product contains PBT/vPvB substances: alkanes, C14-17, chloro Endocrine-disrupting properties: The product fails to meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture composed of organic substances

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentration		
CAS: EC:	9016-87-9 618-498-9	4,4'-methylenediphenyl diisocyanate, isomers and homologues 1 ATP ATP01				
Index:	Non-applicable	Regulation 1272/2008	Acute Tox. 4: H332; Carc. 2: H351; Eye Irrit. 2: H319; Resp. Sens. 1: H334; Skin Irrit. 2: H315; Skin Sens. 1: H317; STOT RE 2: H373; STOT SE 3: H335 - Danger			
CAS:	85535-85-9	alkanes, C14-17, chlo	ro 📭 ATP ATP01			
EC: 287-477-0 Index: 602-095-00-X REACH: 01-2119519269-33- XXXX		Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Lact.: H362; EUH066 - Warning	10 - <20 %		
CAS: 115-10-6 EC: 204-065-8 Index: 603-019-00-8 REACH: 01-21194721 XXXX		dimethyl ether 2	ATP CLP00			
	603-019-00-8 01-2119472128-37-	Regulation 1272/2008	Flam. Gas 1A: H220; Press. Gas: H280 - Danger	2,5 - <10 %		
	75-28-5	Isobutane 2 ATP CLP00				
	200-857-2 601-004-00-0 : 01-2119485395-27- XXXX	Regulation 1272/2008	Flam. Gas 1A: H220; Press. Gas: H280 - Danger	2,5 - <10 %		
CAS:	74-98-6	Propane 2 ATP CLP00				
	200-827-9 601-003-00-5 01-2119486944-21- XXXX	Regulation 1272/2008	Flam. Gas 1A: H220; Press. Gas: H280 - Danger	2,5 - <10 %		

Revised: 02/05/2022



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Standard Gunfoam

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

		-			
	Identification		Chemical name/Classification		
CAS:	25322-69-4	Propane-1,2-diol, prop	oxylated 1 Self-classified		
EC: 500-039-8 Index: Non-applicable REACH: Non-applicable	Regulation 1272/2008	Acute Tox. 4: H302 - Warning	2,5 - <5 %		
CAS:	25791-96-2	Glycerol, propoxylated 1 Self-classified			
EC: 500-044-5 Index: Non-applical REACH: 01-21194840 XXXX	Non-applicable : 01-2119484612-36-	-2119484612-36- Regulation 1272/2008	Acute Tox. 4: H302 - Warning	1 - <2,5 %	
CAS:	556-67-2	Octamethylcyclotetras	siloxane 1 Self-classified		
EC: 209-136-7 Index: 014-018-00-1 REACH: 01-2119529238-36- XXXX	014-018-00-1 :01-2119529238-36-	Regulation 1272/2008	Aquatic Chronic 1: H410; Flam. Liq. 3: H226; Repr. 2: H361f - Warning	0,01 - <0,1 %	

□¹□ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878 □²□ Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification				M-factor	
Octamethylcyclotetr	asiloxane			Acute	1
CAS: 556-67-2 EC: 209-136-7			Chronic	10	
Identification			Specific concentration limit		
4,4'-methylenediphenyl diisocyanate, isomers and homologues CAS: 9016-87-9 EC: 618-498-9		% (w/w) >=5: Skin Irrit. 2 - H315 % (w/w) >=5: Eye Irrit. 2 - H319 % (w/w) >=0,1: Resp. Sens. 1 - H334 % (w/w) >=5: STOT SE 3 - H335			

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

- CONTINUED ON NEXT PAGE -

Revised: 02/05/2022



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Standard Gunfoam

SECTION 5: FIREFIGHTING MEASURES (continued)

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (COD).

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

- CONTINUED ON NEXT PAGE -

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Standard Gunfoam

SECTION 7: HANDLING AND STORAGE (continued)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Store in a cool, dry, well-ventilated location

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Field of application of the product is described in Technical data sheet (TDS).

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occup	Occupational exposure limits			
dimethyl ether	IOELV (8h)	1000 ppm	1920 mg/m ³		
CAS: 115-10-6 EC: 204-065-8	IOELV (STEL)				

DNEL (Workers):

		Short	exposure	Long exposure	
Identification		Systemic	Local	Systemic	Local
4,4'-methylenediphenyl diisocyanate, isomers and homologues	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 9016-87-9	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 618-498-9	Inhalation	Non-applicable	0,1 mg/m ³	Non-applicable	0,05 mg/m³
alkanes, C14-17, chloro	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 85535-85-9	Dermal	Non-applicable	Non-applicable	47,9 mg/kg	Non-applicable
EC: 287-477-0	Inhalation	Non-applicable	Non-applicable	6,7 mg/m³	Non-applicable
dimethyl ether	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 115-10-6	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 204-065-8	Inhalation	Non-applicable	Non-applicable	1894 mg/m ³	Non-applicable
Propane-1,2-diol, propoxylated	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 25322-69-4	Dermal	Non-applicable	Non-applicable	84 mg/kg	Non-applicable
EC: 500-039-8	Inhalation	Non-applicable	Non-applicable	Non-applicable	10 mg/m ³
Glycerol, propoxylated	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 25791-96-2	Dermal	Non-applicable	Non-applicable	13,9 mg/kg	Non-applicable
EC: 500-044-5	Inhalation	Non-applicable	Non-applicable	98 mg/m³	Non-applicable
Octamethylcyclotetrasiloxane	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 556-67-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 209-136-7	Inhalation	Non-applicable	Non-applicable	73 mg/m³	73 mg/m ³

DNEL (General population):

		Short e	exposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
4,4'-methylenediphenyl diisocyanate, isomers and homologues	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 9016-87-9	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 618-498-9	Inhalation	Non-applicable	0,05 mg/m³	Non-applicable	0,025 mg/m ³
alkanes, C14-17, chloro	Oral	Non-applicable	Non-applicable	0,58 mg/kg	Non-applicable
CAS: 85535-85-9	Dermal	Non-applicable	Non-applicable	28,75 mg/kg	Non-applicable
EC: 287-477-0	Inhalation	Non-applicable	Non-applicable	2 mg/m ³	Non-applicable
dimethyl ether	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 115-10-6	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 204-065-8	Inhalation	Non-applicable	Non-applicable	471 mg/m³	Non-applicable

- CONTINUED ON NEXT PAGE -

Revised: 02/05/2022

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Standard Gunfoam

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short e	exposure	Lor	ng exposure
Identification		Systemic	Local	Systemic	Local
Propane-1,2-diol, propoxylated	Oral	Non-applicable	Non-applicable	24 mg/kg	Non-applicable
CAS: 25322-69-4	Dermal	Non-applicable	Non-applicable	51 mg/kg	Non-applicable
EC: 500-039-8	Inhalation	Non-applicable	Non-applicable	Non-applicable	10 mg/m ³
Glycerol, propoxylated	Oral	Non-applicable	Non-applicable	8,3 mg/kg	Non-applicable
CAS: 25791-96-2	Dermal	Non-applicable	Non-applicable	8,3 mg/kg	Non-applicable
EC: 500-044-5	Inhalation	Non-applicable	Non-applicable	29 mg/m³	Non-applicable
Octamethylcyclotetrasiloxane	Oral	Non-applicable	Non-applicable	3,7 mg/kg	Non-applicable
CAS: 556-67-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 209-136-7	Inhalation	Non-applicable	Non-applicable	13 mg/m³	13 mg/m ³
PNEC:					
Identification					
4,4'-methylenediphenyl diisocyanate, isomers and homologues	STP	1 mg/L	Fresh water		1 mg/L
CAS: 9016-87-9	Soil	1 mg/kg	Marine water		0,1 mg/L
EC: 618-498-9	Intermittent	10 mg/L	Sediment (Fresh	water)	Non-applicable
	Oral	Non-applicable	Sediment (Marine	e water)	Non-applicable
alkanes, C14-17, chloro	STP	80 mg/L	Fresh water	Fresh water 0	
CAS: 85535-85-9	Soil	11,9 mg/kg	Marine water		0,0002 mg/L
EC: 287-477-0	Intermittent	Non-applicable	Sediment (Fresh	water)	13 mg/kg
	Oral	0,01 g/kg	Sediment (Marine	e water)	2,6 mg/kg
dimethyl ether	STP	160 mg/L	Fresh water		0,155 mg/L
CAS: 115-10-6	Soil	0,045 mg/kg	Marine water		0,016 mg/L
EC: 204-065-8	Intermittent	1,549 mg/L	Sediment (Fresh	water)	0,681 mg/kg
	Oral	Non-applicable	Sediment (Marine	e water)	0,069 mg/kg
Propane-1,2-diol, propoxylated	STP	100 mg/L	Fresh water		0,1 mg/L
CAS: 25322-69-4	Soil	0,109 mg/kg	Marine water		0,01 mg/L
EC: 500-039-8	Intermittent	1 mg/L	Sediment (Fresh	water)	0,765 mg/kg
	Oral	Non-applicable	Sediment (Marine	e water)	0,0765 mg/kg
Glycerol, propoxylated	STP	1000 mg/L	Fresh water		0,2 mg/L
CAS: 25791-96-2	Soil	0,067 mg/kg	Marine water		0,02 mg/L
EC: 500-044-5	Intermittent	1 mg/L	Sediment (Fresh	water)	0,52 mg/kg
	Oral	Non-applicable	Sediment (Marine	e water)	0,052 mg/kg
Octamethylcyclotetrasiloxane	STP	10 mg/L	Fresh water		0,0015 mg/L
CAS: 556-67-2	Soil	0,54 mg/kg	Marine water		0,00015 mg/L
EC: 209-136-7	Intermittent	Non-applicable	Sediment (Fresh	water)	3 mg/kg
	Oral	0,041 g/kg	Sediment (Marin	e water)	0,3 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

In accordance with the order of importance to control professional exposure (Directive 98/24/EC) it is recommended to use localized extraction in the work area as a collective protection measure to avoid exceeding the occupational exposure limits. In case of using personal protective equipment it should have CE marking in accordance with Directive 2016/425/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For additional information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory respiratory tract protection	Filter mask for gases, vapours and particles		EN 149:2001+A1:2009 EN 405:2002+A1:2010 EN ISO 136:1998	Replace when an increase in resistence to breathing is observed and/or a smell or taste of the contaminant is detected.

- CONTINUED ON NEXT PAGE -

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Standard Gunfoam

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

C.- Specific protection for the hands

1 1				
Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	NON-disposable chemical protective gloves		EN 16523-1:2015+A1:2018	The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

	Pictogram	PPE	Labelling	CEN Standard	Remarks
M	andatory face protection	Face shield	CAT II	EN 166:2002 EN 167:2002 EN 168:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory complete body protection	Disposable clothing for protection against chemical risks, with antistatic and fireproof properties	ainst chemical 1:2004/A1:2010 For professiona Intistatic and CAT III EN ISO 6529:2013 according to the		For professional use only. Clean periodically according to the manufacturer's instructions.
Mandatory foot protection	Safety footwear for protection against chemical risk, with antistatic and heat resistant properties		EN ISO 13287:2013 EN ISO 20345:2011 EN 13832-1:2019	Replace boots at any sign of deterioration.

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D **Volatile organic compounds:**

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply):	19,51 % weight
V.O.C. density at 20 °C:	192,15 kg/m³ (192,15 g/L)
Average carbon number:	8,75
Average molecular weight:	324,46 g/mol

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES 9.1 Information on basic physical and chemical properties: Appearance: Appearance: Physical state at 20 °C: Aerosol Appearance: Not available Colour: Light yellow *Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Standard Gunfoam

SECTION 9: PHY	SICAL AND CHEMICAL PROPER	RTIES (continued)
Odour:		Not available
Odour thresh	old:	Non-applicable *
Volatility:		
Boiling point	at atmospheric pressure:	-12 °C (Propellant)
Vapour press	sure at 20 °C:	Non-applicable *
Vapour press	sure at 50 °C:	<300000 Pa (300 kPa)
Evaporation	rate at 20 °C:	Non-applicable *
Product des	cription:	
Density at 20	°C:	985 kg/m³
Relative dens	sity at 20 °C:	Non-applicable *
Dynamic visc	cosity at 20 °C:	Non-applicable *
Kinematic vis	cosity at 20 °C:	Non-applicable *
Kinematic vis	cosity at 40 °C:	Non-applicable *
Concentratio	n:	Non-applicable *
pH:		Non-applicable *
Vapour dens	ity at 20 °C:	Non-applicable *
Partition coef	ficient n-octanol/water 20 °C:	Non-applicable *
Solubility in v	vater at 20 °C:	Non-applicable *
Solubility pro	perties:	Non-applicable *
Decompositio	on temperature:	Non-applicable *
Melting point	/freezing point:	Non-applicable *
Recipient pre	essure:	Non-applicable *
Flammability	<i>y</i> :	
Flash Point:		Non-applicable
Flammability	(solid, gas):	Non-applicable *
Autoignition t	emperature:	460 °C (Propellant)
Lower flamm	ability limit:	Non-applicable *
Upper flamm	ability limit:	Non-applicable *
Particle cha	racteristics:	
Median equiv	valent diameter:	Non-applicable
9.2 Other inform	nation:	
Information	with regard to physical hazard classe	s:
Explosive pro	operties:	Non-applicable *
Oxidising pro	perties:	Non-applicable *
Corrosive to	metals:	Non-applicable *
Heat of comb	oustion:	Non-applicable *
components:		Non-applicable *
-	characteristics:	
Surface tensi		Non-applicable *
Refraction in		Non-applicable *
*Not relevant du	e to the nature of the product, not providing inform	nation property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

- CONTINUED ON NEXT PAGE -

Revised: 02/05/2022



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Standard Gunfoam

SECTION 10: STABILITY AND REACTIVITY (continued)

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide ($CO\Box$), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health .

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Causes irritation in respiratory passages, which is normally reversible and limited to the upper
 - respiratory passages.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Exposure to this product can cause cancer. For more specific information on the possible health effects see section 2.

- IARC: 4,4'-methylenediphenyl diisocyanate, isomers and homologues (3); alkanes, C14-17, chloro (2B)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: May cause harm to breast-fed children
- E- Sensitizing effects:
 - Respiratory: Prolonged exposure can result in specific respiratory hypersensitivity.
 - Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Causes irritation in respiratory passages, which is normally reversible and limited to the upper respiratory passages.

- CONTINUED ON NEXT PAGE -

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Standard Gunfoam

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Exposure in high concentration can interfere with the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.

- Skin: Based on available data, the classification criteria are not met. However, it does contain substances which are classified as dangerous due to repetitive exposure. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	A	Acute toxicity		
4,4'-methylenediphenyl diisocyanate, isomers and homologues	LD50 oral	>2000 mg/kg		
CAS: 9016-87-9	LD50 dermal	>2000 mg/kg		
EC: 618-498-9	LC50 inhalation	11 mg/L (ATEi)		
Isobutane	LD50 oral	>2000 mg/kg		
CAS: 75-28-5	LD50 dermal	>2000 mg/kg		
EC: 200-857-2	LC50 inhalation	>5 mg/L		
Propane	LD50 oral	>2000 mg/kg		
CAS: 74-98-6	LD50 dermal	>2000 mg/kg		
EC: 200-827-9	LC50 inhalation	>5 mg/L		
dimethyl ether	LD50 oral	>2000 mg/kg		
CAS: 115-10-6	LD50 dermal	>2000 mg/kg		
EC: 204-065-8	LC50 inhalation	308,5 mg/L (4 h)	Rat	
Glycerol, propoxylated	LD50 oral	500 mg/kg (ATEi)		
CAS: 25791-96-2	LD50 dermal	>2000 mg/kg		
EC: 500-044-5	LC50 inhalation	>20 mg/L		
Propane-1,2-diol, propoxylated	LD50 oral	1000 mg/kg	Rat	
CAS: 25322-69-4	LD50 dermal	>2000 mg/kg		
EC: 500-039-8	LC50 inhalation	>20 mg/L		
alkanes, C14-17, chloro	LD50 oral	>2000 mg/kg		
CAS: 85535-85-9	LD50 dermal	>2000 mg/kg		
EC: 287-477-0	LC50 inhalation	>20 mg/L		
Octamethylcyclotetrasiloxane	LD50 oral	61440 mg/kg	Rat	
CAS: 556-67-2	LD50 dermal	10000 mg/kg	Rabbit	
EC: 209-136-7	LC50 inhalation	>20 mg/L		

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

- CONTINUED ON NEXT PAGE -

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Standard Gunfoam

Toxicity:													
Product-s													
	Acute toxicity		Species Daphnia magna				Ge	enus					
EC50	>1000 mg/L (48 h)					Crustacean		tacean					
EC50	1000 mg/L (72 h)		De	esmodesmus subspicat	us		Al	gae					
Substance	e-specific aquatic toxicity:												
Acute toxi	city:												
	Identification			Concentration		Specie	es	Genus					
alkanes, C14	I-17, chloro		LC50	>0.1 - 1 (96 h)				Fish					
CAS: 85535	-85-9		EC50	>0.1 - 1 (48 h)				Crustacear					
EC: 287-477	-0		EC50	>0.1 - 1 (72 h)				Algae					
Octamethylo	yclotetrasiloxane		LC50	>0.1 - 1 (96 h)				Fish					
CAS: 556-67	<i>'-</i> 2		EC50	>0.1 - 1 (48 h)				Crustacear					
EC: 209-136	-7		EC50 >0.1 - 1 (72 h)					Algae					
Chronic to	oxicity:												
	Identification			Concentration		Specie	es	Genus					
Octamethylo	yclotetrasiloxane		NOEC	0,0044 mg/L	Oncorhy		s mykis	s Fish					
CAS: 556-67	'-2 EC: 209-136-7		NOEC	0,015 mg/L		Daphnia m	nagna	Crustacear					
Persisten	e and degradability:												
	Identification		De	egradability		Biode	egradab	bility					
Octamethylo	yclotetrasiloxane	BOD5	5	Non-applicable	Conc	entration		10 mg/L					
CAS: 556-67	S: 556-67-2		.S: 556-67-2 C	CAS: 556-67-2	CAS: 556-67-2	CAS: 556-67-2 CO	CAS: 556-67-2 COD		Non-applicable		d	29 days	29 days
EC: 209-136	-7	BOD5	5/COD	Non-applicable	% Bio	odegradable		4 %					
Bioaccum	ulative potential:												
	Identification					Bioaccur	mulation	n potential					
Isobutane					BC	F	27						
CAS: 75-28-	5				Po	w Log	2.76						
EC: 200-857	-2				Po	tential	Low						
Propane					BC	F	13						
CAS: 74-98-	6				_	w Log	2.86						
EC: 200-827	-9				Po	tential	Low						
Octamethylo	yclotetrasiloxane				BC	F w Log	12400 6.5						

EC: 209-136-7

- CONTINUED ON NEXT PAGE -

Potential

Very High

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Standard Gunfoam

SECTION 12: ECOLOGICAL INFORMATION (continued)

12.4 Mobility in soil:

Identification	Absorp	otion/desorption	Volatility		
dimethyl ether	Кос	Non-applicable	Henry	Non-applicable	
CAS: 115-10-6	Conclusion	Non-applicable	Dry soil	Non-applicable	
EC: 204-065-8	Surface tension	1,136E-2 N/m (25 °C)	Moist soil	Non-applicable	
Isobutane	Кос	35	Henry	120576,75 Pa·m³/mc	
CAS: 75-28-5	Conclusion	Very High	Dry soil	Yes	
EC: 200-857-2	Surface tension	9,84E-3 N/m (25 °C)	Moist soil	Yes	
Propane	Кос	460	Henry	71636,78 Pa·m³/mol	
CAS: 74-98-6	Conclusion	Moderate	Dry soil	Yes	
EC: 200-827-9	Surface tension	7,02E-3 N/m (25 °C)	Moist soil	Yes	
Octamethylcyclotetrasiloxane	Кос	16600	Henry	1200000 Pa·m³/mol	
CAS: 556-67-2	Conclusion	Immobile	Dry soil	Yes	
EC: 209-136-7	Surface tension	1,819E-2 N/m (25 °C)	Moist soil	Yes	

12.5 Results of PBT and vPvB assessment:

Product contains PBT/vPvB substances: alkanes, C14-17, chloro

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)	
16 05 04*	gases in pressure containers (including halons) containing hazardous substances	Dangerous	

Type of waste (Regulation (EU) No 1357/2014):

HP3 Flammable, HP14 Ecotoxic, HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity, HP6 Acute Toxicity, HP7 Carcinogenic, HP13 Sensitising, HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:

- CONTINUED ON NEXT PAGE -

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Standard Gunfoam

	14.1		UN1950
	14.2	UN proper shipping name:	AEROSOLS
	14.3	Transport hazard class(es):	2
		Labels:	2.1
		Packing group:	N/A
2		Environmental hazards:	No
•	14.6		100,007,011,007
		Special regulations:	190, 327, 344, 625
		Tunnel restriction code:	D see section 9
		Physico-Chemical properties: Limited quantities:	1 L
	447		
	14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable
Transport of da	angerou	is goods by sea:	
With regard to II	MDG 39	-18:	
	14.1	UN number or ID number:	UN1950
		UN proper shipping name:	AEROSOLS
	14.3	Transport hazard class(es):	2
		Labels:	2.1
$\langle - \rangle$		Packing group:	N/A
		Marine pollutant:	No
	14.6		
		Special regulations:	63, 959, 190, 277, 327, 344
		EmS Codes:	F-D, S-U
		Physico-Chemical properties:	see section 9 1 L
		Limited quantities: Segregation group:	Non-applicable
	14.7		Non-applicable
	14.7	according to IMO instruments:	Non-applicable
Transport of da	angerou	is goods by air:	
With regard to I	ATA/ICA	NO 2022:	
	14.1	UN number or ID number:	UN1950
		UN proper shipping name:	AEROSOLS
	14.3	Transport hazard class(es):	2
		Labels:	2.1
2	14.4	Packing group:	N/A
•	14.5		No
	14.6	Special precautions for user	
		Physico-Chemical properties:	see section 9
	14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): alkanes, C14-17, chloro ; Octamethylcyclotetrasiloxane

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements	
P3a	FLAMMABLE AEROSOLS	150	500	
		A		4

- CONTINUED ON NEXT PAGE -

Revised: 02/05/2022

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Standard Gunfoam

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc) :

Contains more than 0.1 % of 4,4'-methylenediphenyl diisocyanate, isomers and homologues by weight. 1. Shall not be used as substances on their own, as a constituent in other substances or in mixtures for industrial and professional use(s) after 24 August 2023, unless:

(a) the concentration of diisocyanates individually and in combination is less than 0,1 % by weight, or (b) the employer or selfemployed ensures that industrial or professional user(s) have successfully completed training on the safe use of diisocyanates prior to the use of the substance(s) or mixture(s).

2. Shall not be placed on the market as substances on their own, as a constituent in other substances or in mixtures for industrial and professional use(s) after 24 February 2022, unless:

(a) the concentration of diisocyanates individually and in combination is less than 0,1 % by weight, or (b) the supplier ensures that the recipient of the substance(s) or mixture(s) is provided with information on the requirements referred to in point (b) of paragraph 1 and the following statement is placed on the packaging, in a manner that is visibly distinct from the rest of the label information: "As from 24 August 2023 adequate training is required before industrial or professional use".

3. For the purpose of this entry "industrial and professional user(s)" means any worker or self-employed worker handling diisocyanates on their own, as a constituent in other substances or in mixtures for industrial and professional use(s) or supervising these tasks.

4. The training referred to in point (b) of paragraph 1 shall include the instructions for the control of dermal and inhalation exposure to diisocyanates at the workplace without prejudice to any national occupational exposure limit value or other appropriate risk management measures at national level. Such training shall be conducted by an expert on occupational safety and health with competence acquired by relevant vocal training. That training shall cover as a minimum:

(a) the training elements in point (a) of paragraph 5 for all industrial and professional use(s).

(b) the training elements in points (a) and (b) of paragraph 5 for the following uses:

— handling open mixtures at ambient temperature (including foam tunnels)

spraying in a ventilated booth

- application by roller

- application by brush

- application by dipping and pouring
- mechanical post treatment (e.g. cutting) of not fully cured articles which are not warm anymore
- cleaning and waste
- any other uses with similar exposure through the dermal and/or inhalation route
- (c) the training elements in points (a), (b) and (c) of paragraph 5 for the following uses:
- handling incompletely cured articles (e.g. freshly cured, still warm)
- foundry applications
- maintenance and repair that needs access to equipment
- open handling of warm or hot formulations (> 45 °C)
- spraying in open air, with limited or only natural ventilation (includes large industry working halls) and spraying with high energy (e.g. foams, elastomers)

- and any other uses with similar exposure through the dermal and/or

inhalation route.

5. Training elements:

- (a) general training, including on-line training, on:
- chemistry of diisocyanates
- toxicity hazards (including acute toxicity)
- exposure to diisocyanates
- occupational exposure limit values
- how sensitisation can develop
- odour as indication of hazard
- importance of volatility for risk
- viscosity, temperature, and molecular weight of diisocyanates
- personal hygiene
- personal protective equipment needed, including practical instructions for its correct use and its limitations
- risk of dermal contact and inhalation exposure
- risk in relation to application process used
- skin and inhalation protection scheme
- ventilation
- cleaning, leakages, maintenance
- discarding empty packaging
- protection of bystanders
- identification of critical handling stages
- specific national code systems (if applicable)
- behaviour-based safety
- certification or documented proof that training has been successfully completed
- (b) intermediate level training, including on-line $\Bar{training},$ on:
- additional behaviour-based aspects
- maintenance
- management of change

- CONTINUED ON NEXT PAGE -

We save / 1977 energy / Wolf Group

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Standard Gunfoam

SECTION 15: REGULATORY INFORMATION (continued)

- evaluation of existing safety instructions
- risk in relation to application process used
- certification or documented proof that training has been successfully completed
- (c) advanced training, including on-line training, on:
- any additional certification needed for the specific uses covered
- spraying outside a spraying booth
- open handling of hot or warm formulations (> 45 °C)
- certification or documented proof that training has been successfully completed

6. The training shall comply with the provisions set by the Member State in which the industrial or professional user(s) operate. Member States may implement or continue to apply their own national requirements for the use of the substance(s) or mixture(s), as long as the minimum requirements set out in paragraphs 4 and 5 are met.

7. The supplier referred to in point (b) of paragraph 2 shall ensure that the recipient is provided with training material and courses pursuant to paragraphs 4 and 5 in the official language(s) of the Member State(s) where the substance(s) or mixture(s) are supplied. The training shall take into consideration the specificity of the products supplied, including composition, packaging, and design.

8. The employer or self-employed shall document the successful completion of the training referred to in paragraphs 4 and 5. The training shall be renewed at least every five years.

9. Member States shall include in their reports pursuant to Article 117(1) the following information:

(a) any established training requirements and other risk management measures related to the industrial and professional uses of diisocvanates foreseen in national law

(b) the number of cases of reported and recognised occupational asthma and occupational respiratory and dermal diseases in relation to diisocyanates

(c) national exposure limits for diisocyanates, if there are any

(d) information about enforcement activities related to this restriction.

10. This restriction shall apply without prejudice to other Union legislation on the protection of safety and health of workers at the workplace.

Shall not be used in:

-ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Contains Octamethylcyclotetrasiloxane, Decamethylcyclopentasiloxane. 1. | Shall not be placed on the market in wash-off cosmetic products in a concentration equal to or greater than 0,1 % by weight of either substance, after 31 January 2020. | 2. | For the purposes of this entry, "wash-off cosmetic products" means cosmetic products as defined in Article 2(1)(a) of Regulation (EC) No 1223/2009 that, under normal conditions of use, are washed off with water after application.

Contains more than 0.1 % of 4,4'-methylenediphenyl diisocyanate, isomers and homologues by weight. This product may not be distributed in its present form for first-time sale to the general public after 27th December 2010 unless the packaging contains protective gloves meeting the provisions of Regulation (EU) 2016/425.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

Council Directive 75/324/EEC of 20 May 1975 on the approximation of the laws of the Member States relating to aerosol dispensers

Commission Directive 94/1/EC of 6 January 1994 adapting some technicalities of Council Directive 75/324/EEC on the approximation of the laws of the relating Member States to aerosol dispensers

Commission Directive 2008/47/EC of 8 April 2008 amending, for the purposes of adapting to technical progress, Council Directive 75/324/EEC on the approximation of the laws of the Member States relating to aerosol dispensers

Commission Directive 2013/10/EU of 19 March 2013 amending Council Directive 75/324/EEC on the approximation of the laws of the Member States relating to aerosol dispensers in order to adapt its labelling provisions to Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures COMMISSION DIRECTIVE (EU) 2016/2037 of 21 November 2016 amending Council Directive 75/324/EEC as regards the

maximum allowable pressure of aerosol dispensers and to adapt its labelling provisions to Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures

Chemical safety assessment: 15.2

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

We save / 1977 energy / Wolf Group



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Standard Gunfoam

SECTION 16: OTHER INFORMATION (continued)

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

Texts of the legislative phrases mentioned in section 2:

H222: Extremely flammable aerosol.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317: May cause an allergic skin reaction.

H351: Suspected of causing cancer.

H362: May cause harm to breast-fed children.

H335: May cause respiratory irritation.

H373: May cause damage to organs through prolonged or repeated exposure.

H413: May cause long lasting harmful effects to aquatic life.

H229: Pressurised container: May burst if heated.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed.

Acute Tox. 4: H332 - Harmful if inhaled.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Carc. 2: H351 - Suspected of causing cancer.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Flam. Gas 1A: H220 - Extremely flammable gas.

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Lact.: H362 - May cause harm to breast-fed children.

Press. Gas: H280 - Contains gas under pressure, may explode if heated.

Repr. 2: H361f - Suspected of damaging fertility.

Resp. Sens. 1: H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure.

STOT SE 3: H335 - May cause respiratory irritation.

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Dose 50 EC50: Effective concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

Other information:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Standard Gunfoam

SECTION 16: OTHER INFORMATION (continued)

Classification procedure: Aerosol 1: Calculation method Aerosol 1: Calculation method Carc. 2: Calculation method Eye Irrit. 2: Calculation method Lact.: Calculation method Resp. Sens. 1: Calculation method Skin Irrit. 2: Calculation method Skin Sens. 1: Calculation method STOT RE 2: Calculation method STOT SE 3: Calculation method Aquatic Chronic 4: Test data

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

Printing: 28/06/2022 6) Revised: 02/05/2022